FO	RM PTO-	1449	49 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE									ATTY DOC	SERIAL NOT Y	ET		
															ASSIG	VED
			LIST							BY APPLICANT cessary)	Γ.	APPLICANT: Robert CAMPBELL et al.				
			,									FILING DA	TE: Decem	iber 9, 2001	GROUP	·:
		• .	<del></del>		ī	U.S. 1	PATI	ENT	DOX	CUMENTS (incl	lude at least patentee, pat	tent number, ar	nd issue date	e)		
	AMINER NITIAL		DOCUMENT NUMBER							DATE	PATENTE	EE	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
E	GS	AA	5	1	1	6	9	6	4	5/26/92	CAPON et al.		435	69.7		
		AB	5	1	5	5	0	2	7	10/13/92	SLEDZIEWSKI et al.		Ī	69.7		
		AC	5	5	6	7	6	1	1	10/22/96	RALPH et al.		<u> </u>	69.51	12/12/94	
		AD	5	7	0	5	4	7	-8	1/6/98	BOIME			8	11/4/94	
$\lceil$	•	AE	5	6	5	0	1	5	0	7/22/97	GILLIES			134.1	7/27/94	
V	/	AF	5	4	4	7	8	5	1	9/5/95	BEUTLER et a	d.		69.7		
				FOF	ŒIG	N PA	TEN	IT D	ocu	JMENTS (includ	de at least document num	nber, publication	on date and	country)		
			T									TRANS	LATION			
		<u> </u>	⊥_'	DOCUMENT NUMBER D		DATE	COUNTRY		CLASS	SUBCLASS	YES	NO				
I	EGS	AG	wo	) 95/?	/31544					23NO1993	WIPO		<u> </u>			
: ;	EGS	AH	wc	931	19777	<u>'</u> .	. :	<u>.</u>	· /	140C1993	PCT		:	· ·		<u> </u>
					ОТ	HER	. DO(	CUM	ENT	IS (include at le	east document number, pu	ublication date	and country	y) '		
	EGS	AI	AB NARAYAN, Prema et al., "Functional expression of yoked human chorionic gonadotropin in baculovirus-infected insect cells.", MOLECULAR ENDOCRINOLOGY, vol. 9, no. 12, pp. 1719-1726 (1995).									ected				
	11	ΑJ		JOHNSON, Gregory A. et al., "Baculovirus-insect cell production of bioactive choriogonadotropin-												
			imn	immunoglobulin G heavy-chain fusion proteins in sheep.", BIOLOGY OF REPRODUCTION, vol. 52, pp. 68-73 (1995)												
		AK									of a novel constitutive b. 49, pp. 31638-31642		mone-rece	ptor complex.",	JOURNA	L OF
		AL	SMITH, Richard et al., "The active form of tumor necrosis factor is a trimer.", JOURNAL OF BIOLOGICAL CHEMISTRY, col 262, no. 15, pp. 6951-6954 (1987).										~			
	1	AM ·									or necrosis factor-alpha 17605 (1989).	a at 2.6 A reso	olution.", J	OURNAL OF E	BIOLOGI	CAL
	1	AN	101	JES,	E.Y	. ct a	<u>ป., "!</u>	Struc	ture	e of tumor necr	rosis factor.", NATUR	Œ, vol. 338,	pp. 225-22	8 (1989).		
	+	AO .	ECK, Michael et al., "The structure of human lymphotoxin (tumor necrosis factor-beta) at 1.9 A resolution." JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 267, no. 4, pp. 2119-2122 (1992).													
,	$\downarrow$	AP								rotein hormone (1991).	es structure and functi	ion.", DEPAR	LTMENT (	OF BIOLOGICA	<b>NL</b>	
							/	DATE CONSI 12/15								
							derer	d. D	raw	line through c	citation if not in confo	rmance and n	ot conside	red. Include cop	py of this	form
with r	XAMINER: Initial if reference considered. Draw line through citation if not in conformance and not considered. Include copy of this form															

FORM PTO-1449		U.S. DEPARTMENT OF COM	MERCE	ATTY DOCKET NO.	SERIAL NO.						
		PATENT AND TRADEMARK OFFI	CE	CAMPBELL=2D	Not Yet Assigned						
	LIST	OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)		APPLICANT: Robert CAMPBELL et al.							
		,	•	FILING DATE: On Even date herewith	GROUP:						
EXAMINER INITIALS	OTHER DOCUMENTS (include at least document number, publication date and country)										
EGS	AQ	Q LAPTHORN, A.J. et al., "Crystal structure of human chorionic gonadotropin.", NATURE, vol. 369, pp. 455-461 (199									
	AR	WU, Hao et al., "Structure of human chorionic gor selenomethionyl protein.", STRUCTURE, vol. 2, r	of human chorionic gonadotropin at 2.6-A resolution from MAD analysis of the STRUCTURE, vol. 2, no. 6, pp. 545-558 (1994).								
	AS	ENGLEMANN, Hartmut et al., "Antibodies to a soluble form of a tumor necrosis factor (TNF) receptor have TNF- like activity.", JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 265, no. 24, pp. 14497-14504 (1990).									
	AT	ADAM, Dieter et al., "Cross-linking of the p55 tumor necrosis factor receptor cytoplasmic domain by a dimeric ligand induces nuclear factor-Kbeta and mediates cell death.", JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 270, no. 29, pp. 17482-17487 (1995).									
	AU	LOETSCHER, Hansruedi et al., "Recombinant 55-kda tumor necrosis factor (tnf) receptor.", JOURNAL OF-BIOLOGICAL CHEMISTRY, col. 266, no. 27, pp. 18324-18329 (1991).									
	AV	BANNER, David W. et al., "Crystal structure of the soluble human 55kd tnf receptor-human tnfbeta complex: implications for tnf receptor activation.", CELL, vol. 73, pp. 431-445 (1993).									
	AW	PENNICA, Diane et al., "Biochemical characterization of the extracellular domain of the 75-kilodalton tumor necrosis factor receptor.", BIOCHEMISTRY, vol. 32, pp. 3131-3138 (1993).									
	AX	ENGELMANN, Hartmut et al., "Two tumor necrosis factor-binding proteins purified from human urine.", JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 265, no. 3, pp. 1531-1536 (1990).									
	AY	VAN ZEE, Kimberly et al., "Tumor necrosis factor soluble receptors circulate during experimental and clinical inflammation and can protect against excessive tumor necrosis factor alla in vitro and in vivo." PROC. NATL. ACAD. SCI., col. 89, pp. 4845-4849 (1992).									
	AZ	ADERKA, Dan et al., "Stabilization of th bioactivity of tumor necrosis factor by its soluble receptors.", J. EXP. MED., col. 175, pp. 323-329 (1992).									
	ВА	MOHLER, Kendall et al., "Soluble tumor necrosis factor (tnf) receptors are effective therapeutic agents in lethal endotoxemia and function simultaneously as both tnf carriers and tnf antagonists.", JOURNAL OF IMMUNOLOGY, vol. 151, no. 3, pp. 1548-1561 (1993).									
	ВВ	BERTINI, Riccardo et al., "Urinary tnf-binding protein (tnf soluble receptor) protects mice against the lethal effect of tnf and endotoxic shock.", EUR. CYTOKINE NETW., vol. 4, no. 1, pp. 39-42 (1993).									
	ВС	PIGUET, P.F. et al., "Evolution of collagen arthritis in mice is arrested by treatment with anti-tumor necrosis factor (tnf) antibody or a recombinant tnf receptor.", IMMUNOLOGY, vol. 77, pp. 510-514 (1992).									
	BD	WILLIAMS, Richard et al., "Successful therapy of collagen-induced arthritis with tnf receptor-lgG fusion protein and combination with anti-CD4.", IMMUNOLOGY, vol. 84, pop. 433-439 (1995).									
$\sqrt{}$	IDS therapy." NATURE, vol. 337, pp	o. 525-531 (1989)									
EXAMINER	,	Elly Gerald Stoica/	DATE CONSIDERED 12/15/2006								
EXAMINER:		f reference considered. Draw line through citation if applicant.	not in confor	nance and not considered. Include co	py of this form with						

FORM PTO-14	49	U.S. DEPARTMENT OF COMMERCI	E ATTY DOCKET NO.	SERIAL NO.								
		PATENT AND TRADEMARK OFFICE	CAMPBELL=2D	Not Yet Assigned								
	LIST	OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)	APPLICANT: Robert CAMPBELL et al.									
			FILING DATE: On Even date herewith	GROUP:								
EXAMINER INITIALS		OTHER DOCUMENTS (include at least document number, publication date and country)										
EGS	BF	ASHKENZAZI, Avi et al., "Protection against endotoxic shock by a tumor necrosis factor receptor immunoadhesion.", PROC. NATL. ACAD. SCI. USA, vol. 88, pp. 10535-10539										
	BG	SUITTERS, Amanda et al., "Differential effect of isotype of antibodies in experimental septic shock.", J. EXP. MED., v		r alpha chimeric .								
	ВН	NOLAN, Orla et al., "Bifunctional antibodies: concept, pro ACTA, vol. 1040, pp. 1-11 (1990).	duction and applications.", BIOCHIM	ICA ET BIOPHYSICA								
	BI	RODRIQUES, Maria L. et al., "Engineering Fab' fragments for efficient F9ab) <sub>2</sub> formation in escherichia coli and for improved in vivo stability.", JOURNAL OF IMMUNOLOGY, vol. 151, no. 12, pp. 6954-6961 (1993).										
	BJ	CHANG, Hsiu-Ching et al., "A general method for facilitating heterodimeric pairing between two proteins: application to expression of alpha and beta t-cell receptor extracellular segments.", PROC. NATL. ACAD. SCI. USA, vol. 91, pp. 11408-11412 (1994).										
	BK											
	BL	BAZZIONI, F. et al., "Chimeric tumor necrosis factor receptors with constitutive signaling activity.", PROC. NATL. ACAD. SCI. USA, vol. 92, pp. 5376-5380 (1995).										
·	ВМ	BOLDIN, Mark et al., "Self-association of the "Death domains" of the p55 tumor necrosis factor (tnf) receptor and fas/apo1 prompts signaling for tnf and fas/apo1 effects.", JOURNAL OF BIOLOGICAL CHEMISTRY, vol. 270, no. 1, pp. 387-391 (1995).										
	BN	VU, Thien Khai et al., "Molecular cloning of a functional thrombin receptor reveals a novel proteolytic mechanism of receptor activation.", CELL, vol. 64, pp. 1057-1068 (1991).										
	во	SONG, Ho Yeong et al., "Aggregation of the intracellular of the two-hybrid system.", J. OF BIOLOGICAL CHEMISTR										
	BP	RUSSELL, Deborah et al., "Combined inhibition of interleukin-1 and tumor necrosis factor in rodent endotoxemia: improved survival and organ function.", J. INFECTIOUS DISEASES, vol. 171, pp. 1528-38 (1995).										
	BQ	RAO, Ch. et al., "Stability of human chorionic gonadotropi GYNECOL., vol. 146, no. 1, pp. 65-68 (1983).	n and its alpha subunit in human blood	d.", AM. J. OBSTET.								
	BR	DAMEWOOD, Marian et al., "Disappearance if exogenously administered human chorionic gonadotropin.", FERTILI AND STERILITY, vol. 52, no. 3, pp. 398-400 (1989).										
	BS	CHEN, Fang et al., "The carboxy-terminal region of the gly binding and signaling in human chorionis gonadotropin.", l	vcoprotein hormone alpha-subunit: con MOLECULAR ENDOCRINOLOGY,	tributions to receptor vol. 6. (1992).								
	вт	Abstract of BIELINSKA, M. et al., "Site-directed mutagene chorionic gonadotropin alpha subunit.", MEMBRANE RE		nains in the human								
$\Psi$	BU	FURUHASHI, Madoka et al., "Fusing the carboxy-terminal peptide of the chronic gonadotropin (cg) beta-subunit to the common alpha-subunit: retention of o-linked glycosylation and enhanced in vivo bioactivity of chimeric human cg.", MOLECULAR ENDOCRINOLOGY, 9:(1) pp. 63 (1995).										
EXAMINER	_	/Elly Gerald Stoica/ DATE	CONSIDERED /15/2006									

	14 DTO 144		U.S. DEPARTMENT OF COMM	EBCE	ATTY DOCKET NO. SERIAL NO.							
FOR	M PTO-144	9	PATENT AND TRADEMARK OFFICE									
			FATENT AND TRADEMARK OFFIC	JE	CAMPBELL=2D	Not Yet Assigned						
		LIST	OF DOCUMENTS CITED BY APPLICANT (Use several sheets if necessary)		APPLICANT: Robert CAMPBELL et al.							
					FILING DATE: On Even date herewith	GROUP:						
	MINER TALS		OTHER DOCUMENTS (include at least document number, publication date and country)									
EGS		BV	SUGAHRA, Tadashi et al., "Biosynthesis of a biologically active single peptide chain containing the human common alpha and chorionic gonadotropin beta subunits in tandem.", PROC. NATL. ACAD. SCI. USA, vol. 92, pp. 2041-2045 (1995).									
		BW	URLAUB, Gail et al., "Isolation of chinese hamster cell mutants deficient in dihydrofolate reductase activity.", PROC. NATL. ACAD. SCI. USA, vol. 77, no. 7, pp. 4216-4220 (1980).									
		вх	NOPHAR, Yaron et al., "Soluble forms of tumor ne 10, pp. 3269-3278 (1990).	necrosis factor receptors (tnf-rs).", THE EMBO JOURNAL, vol. 9, no.								
		BY	FIDDES, John et al., "Isolation, cloning and sequen gonadotropin.", NATURE, vol. 281, pp. 351-356 (1	on, cloning and sequence analysis of the cDNA for the alpha-subunit of human chorionic ol. 281, pp. 351-356 (1979).								
		BZ	FIDDES, John et al., "The cDNA for the beta-subunit of human chorionic gonadotropin suggests evolution of a gene by readthrough into the 3'-untranslated region.", NATURE, vol. 286, (1980).									
		CA	CAMPBELL, Robert et al., "Conversion of human choriogonadotropin into a follitropin by protein engineering." PROC. NATL. ACAD. SCI. USA, vol. 88, pp. 760-764 (1991).									
		СВ	COLE, Edward et al., "Recombinant human thyroid detection of metastatic lesions of thyroid cancer.", E	stimulating l	ng hormone: development of a biotechnology product for NOLOGY, vol. 11, pp. 1014-1024 (1993).							
		CC	GLUZMAN, Yakov. "SV40-transformed simian cells support the replication of early SV40 mutants.", CELL, vol. 23, pp. 175-182 (1981).									
		CD	CHU, Gilbert., "Electroporation for the efficient transfection of mammalian cells with DNA.", NUCLEIC ACIDS RESEARCH, vol. 15, no. 3 (1987).									
		CE	YEN, Janie et al., "A rapid in vitro cytotoxicity assay for the detection of turnor necrosis factor on human BT-20 cells.", JOURNAL OF IMMUNOTHERAPY, vol. 10, pp. 174-181 (1991).									
		CF	F. BUSSOLINO et al., Plaelet activating factor procangiogenesis, <u>J. Clin. Invest.</u> 96:940-952 (1995)	luced in vitro	tro by Kaposi's sarcoma cells induces and sustains in vivo							
\	/	CG	M. K. HELLERSTEIN et al., Journal of Acquired It (1996)	mmune Defic	iency Syndromes and Human Retrovire	ology, 11:258-270						
	· · · · · · · · · · · · · · · · · · ·				•							
EXA	MINER	/E1	ly Gerald Stoica/	DATE CON: 12/15/		•						
	MINER:		reference considered. Draw line through citation if n	ot in conform	nance and not considered. Include cop	y of this form with						